

# WALL PROFILES

by **gizir**<sup>®</sup>  
WOOD PRODUCTS





WALL  
PROFILE

# WP Slats

SM INDIGO




S066




## MOUNTED PROFILE



WALL PROFILE  
**WP 06**  
 SM PISTACHIO | S067






**gizir**  
 WOOD PRODUCTS



- |   |   |   |   |
|---|---|---|---|
|   |   |   |   |
| <b>S010</b>   | <b>S028</b>   | <b>S036</b>   | <b>S040</b>   |
|  |  |  |  |
| <b>S064</b>   | <b>7093</b>   | <b>7094</b>   | <b>7095</b>   |
|  |  |   |   |
| <b>6270</b>   | <b>6370</b>   |   |   |

WALL PROFILE  
**WP 05**

LIGHT WALNUT | 1070



-  **S028**
-  **S040**
-  **6270**
-  **6370**

WALL  
PROFILE **WP 07**

SM CREAM | S020





MOUNTED PROFILE



DIMENSIONS (mm)

Thickness: 17,70 | Width: 118 | Length: 2800



S010



S040

WALL  
PROFILE **WP 11**

GOLD INOX | 6370





MOUNTED PROFILE




DIMENSIONS (mm)


Thickness: 17,70 | Width: 118 | Length: 2800



S010



7093



7094


LED WALL PROFILE **WPL 01**

SM MINK S027



MOUNTED PROFILE

led strip light





New

DIMENSIONS (mm)

Thickness: 18 | Width: 118 | Length: 2800



led strip light



7093



7094

# DOUBLE COLOR WALL PANELS





COLOR PALETTE



	
P310	4083
	
P312	4536
	
P316	4528
	
P317	4040

# DOUBLE COLOR WALL PANELS


Dimensions (mm)	
Width	170
Length	2800
Thickness	23

DCWP 01  
P312

\*melamine faced mdf





# Acoustic Panel

Keep Your Secrets  
to Yourself




Natural European Oak Veneer &  
PVC/PP Options Available!

- A level sound insulator acoustic felt.
- B1 level fire retardant acoustic felt.
- Reduces background noises such as echo and howling.
- Oak veneer option matches perfectly with The Madera Series.
- Easy to cut and apply.

Dimensions (mm)	
Width	605
Length	2800
Thickness	22

\*thickness options available



Colección de **madera**

0,6 MM NATURAL EUROPEAN OAK  
VENEER / PVC-PP OPTIONS

12 MM BLACK COLORED MDF

9 MM PET ACOUSTIC FELT



## Decorate in 3 Easy Steps

Measure




Measure the Wall You Want to  
Apply Acoustic Panels.

Cut



Cut the Acoustic Panel  
According to Wall Dimensions.

Apply



Apply Polyurethane (PU)  
Assembly Glue to the Back of the  
Acoustic Panel / Or Use a Nail Gun  
to Mount it on the Wall.

# OAK COLOR COLLECTION



MAP501



MAP503




MAP504



MAP505



7093




7094



504

# PVC / PP COLOR COLLECTION



PAP303



PAP310



PAP312



PAP316




PAP317



PAP1070




## ACOUSTIC FELT NRC TEST RESULT (Noise Reduction Coefficient Test)




NRC (Noise Reduction Coefficient Test) 0.75  
 Flame Spread index 26-75 Class B  
 Smoke-Developed index 0-450 Class B


ACOUSTIC FELT FSI 30 RESULT - ASTM E84-2021 standard test method used to assess the surface burning characteristics of a material used for interior wall and ceiling finishes, with results measured by Flame Spread Index (SFI)




MATTE




1080 | Dark Walnut




2060 | New Oak



7093 | Amberes Oak Natural



7094 | Nutwood Dark  
504




7095 | Dabema Walnut Grey

SUPER MATTE




S010 | Super Matte White




S028 | Super Matte light grey



S036 | Super Matte Dark Grey



S040 | Super Matte Black




S064 | Super Matte Blue

ULTRA HIGH GLOSS



6010 | Ultra High Gloss White



6270 | Uhg New Metallic Inox



6370 | Uhg Gold Inox

Gizir Wall Profiles  
Available Colours



Lebanon, Beirut, Airport Road

+961 01 453000 + 961 71 999125

[info@hijaziwood.com](mailto:info@hijaziwood.com)

[www.hijaziwood.com](http://www.hijaziwood.com)